

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Harold O. Treece

Serial No.: 09/970,432

Filed: 10/03/2001

For: UNIVERSAL CEMENTING PLUG

§
§
§
§
§
§
§

Confirmation No.: 4315

Examiner: C. Novosad

Art Unit: 3641

Mail Stop Amendment

Commissioner For Patents

P. O. Box 1450

Alexandria, VA 22313-1450

I hereby certify that this paper is being filed with the U.S. Patent and Trademark Office via EFS-Web on the date shown below.

Date:

December 19, 2008

Ellen Lovelace

Ellen Lovelace

AMENDMENT AND RESPONSE TO OFFICE ACTION
MAILED SEPTEMBER 19, 2008

I. INTRODUCTORY COMMENTS

The present paper is submitted in response to the Office Action mailed September 19, 2008 in connection with the above-identified patent application, having a shortened statutory period for response of three months, which expires on December 19, 2008.

Should any fees under 37 C.F.R. §§ 1.16 to 1.21 be deemed necessary for the filing of the present document, including those for an extension of time, the Commissioner is hereby authorized to charge such fees to Haynes and Boone, LLP's, Deposit Account No. 08-1394.

Amendments to the Claims begin on page 2 of this paper.

Remarks/Arguments begin on page 14 of this paper.